

SAFETY DATA SHEET

1. Identification		
Product identifier	Adcirca®	
Other means of identification		
Item Code	ZD4467, TA4469, TA4468, ND1053, ND1054, ND1105, ND1106, TA4462, TA4463, TA4464, TA4465, VF0371, VF0372, VF0373, VF0378, ZD4125, TA4467, CT4465	
LY Number	LY450190	
Recommended use	Pharmaceutical	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	/Distributor information	
Manufacturer		
Company name	Eli Lilly and Company	
Address	Lilly Corporate Center	
	Indianapolis, IN 46285 United States	
Telephone	Phone: +1-317-276-2000	
E-mail	lilly_sds@lilly.com	
Emergency phone number	CHEMTREC: +1-800-424-9300	
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	The mixture does not meet the criteria for classification.	
Precautionary statement		
Prevention	Not available.	
Response	Not available.	
Storage	Not available.	
Disposal	Not available.	
Hazard(s) not otherwise classified (HNOC)	None known.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Tadalafil	(6R,12aR)-6-(1,3-benzodioxol-5-yl)-2-met hyl-2,3,6,7,1 2,12a hexahydropyrazino[1',2':1,6] pyrido[3,4-b]indole-1,4-dione Pyrazinopyridoindoledione PYRAZINO[1', 2' :1,6]PYRIDO[3, 4-B]INDOLE-1,4-DIONE,6-(1,3-BENZODI OXOL-5-YL)-2,3,6,7,12,12A-HEXAHYDR O-2-METHYL-, (6R,12AR)-	171596-29-5	1 - 7
Composition comments	Remaining components of this product are non-hazardous and/or are present at concentrations below reportable levels.		
4. First-aid measures			
Inhalation	Remove to fresh air. If breathing stops, provide ar immediately.	tificial respiration. Get m	edical attention

Skin contact	Wash off immediately with plenty of water. Continue to rinse for at least 15 minutes. Immediately take off all contaminated clothing. Get medical attention if irritation develops and persists.		
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.		
Ingestion	Immediately give large quantities of water to drink. Never give anything by mouth to a victim who is unconscious or is having convulsions. Call a physician immediately.		
Most important symptoms/effects, acute and delayed	Headache. Flushing.		
Indication of immediate medical attention and special treatment needed	PRE-EXISTING MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED BY EXPOSURE: Individuals on nitrate or alpha blocker therapy.		
General information	The recommendations in this section are intended for manufacturing or other situations where exposure to contents may occur.		
5. Fire-fighting measures			
Suitable extinguishing media	Carbon dioxide, dry chemical or water.		
Unsuitable extinguishing media	None known.		
Specific hazards arising from the chemical	The recommendations in this section are intended for manufacturing or other situations where exposure to contents may occur.		
	Hazardous decomposition products formed under fire conditions. If small particles are generated during further processing, handling, or by other means, may form combustible dust concentrations in air.		
Special protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective clothing.		

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Wear suitable protective clothing, gloves and eye/face protection. See Section 8 of the SDS for Personal Protective Equipment.	
Methods and materials for containment and cleaning up	The recommendations in this section are intended for manufacturing or other situations where exposure to contents may occur.	
	Do not sweep. Collect spill using a vacuum cleaner with a HEPA filter. Be aware of potential for dust explosion when using electrical equipment. If vacuum is not available, lightly mist/wet material and remove by mopping or wet wiping.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling. See Section 8 of the SDS for Personal Protective Equipment.	
Conditions for safe storage,	Storage temperature: between 15 C and 30 C.	

Conditions for safe storage, including any incompatibilities

8. Exposure controls/personal protection

Occupational exposure limits

Lilly (LEG) Components	Туре	Value		
Tadalafil (CAS 171596-29-5)	TWA (12hrs)	13 ug/m3		
	TWA (8hrs)	20 ug/m3		
Biological limit values	No biological exposure limits noted for	No biological exposure limits noted for the ingredient(s).		
Appropriate engineering controls	The recommendations in this section are intended for manufacturing or other situations where exposure to contents may occur.			
	Open handling is not recommended. Use appropriate control measures such as fume hood, ventilated enclosure, isolator (i.e. glove bag/glove box) and/or closed transfers to maintain airborn levels below occupational exposure level (OEL).			
Individual protection measures	s, such as personal protective equipmer	nt		
Eye/face protection	Safety glasses with side shields recommended. If splash potential or dusty operations, wear goggles/faceshield.			

Skin protection Hand protection	Chemical resistant gloves.
Other	Chemical-resistant gloves and impermeable body covering to minimize skin contact.
Respiratory protection	Use a properly fitted, air purifying or air fed respirator complying with an approved standard if a risk assessment indicated that is necessary. If the applicable occupational exposure level (OEL) is anticipated to be exceeded, wear an approved respirator with sufficient protection factor to control exposure below the OEL.
General hygiene considerations	Engineering controls should be used as the primary means to control workplace exposures. Follow good workplace hygiene practices such as washing hands after handling this material.

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Tablet.
Color	Yellow, Orange or White.
Odor	Odorless
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability (solid, gas)	No test data available.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	The substance or mixture is not classified as oxidizing.
10. Stability and reactivity	
Reactivity	Not water reactive.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	None known

Conditions to avoid	None known.
Incompatible materials	Strong oxidizing substances.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
Tadalafil (CAS 171596-29-5)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 1000 mg/kg (No mortality) (No toxicity)
Oral	- /	
LD50	Rat	> 2000 mg/kg (No mortality) (No toxicity)
Other	- /	
LD50	Rat	> 62.5 mg/kg (Intravenous) (No mortality) (Convulsions)
Skin corrosion/irritation	Rabbit: Slight irritation. Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Rabbit: Slightly irritating. Based on available data, the classification criteria are not met.	
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Due to lack of data the classification is not possible	
Skin sensitization	Due to lack of data the classification is not possible	
Germ cell mutagenicity	Result in genetic toxicity assays (in vitro and in vivo Based on available data, the classification criteria a	
Carcinogenicity	Not listed by ACGIH, IARC, NIOSH, NTP OR OSHA. Based on available data, the classification criteria are not met.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Not listed. US. National Toxicology Pro Not listed.	ed Substances (29 CFR 1910.1001-1053) ogram (NTP) Report on Carcinogens	
Reproductive toxicity	There was no impairment of fertility in male and female rats. In beagle dogs given tadalafil daily for 6 to 12 months at doses of 25 mg/kg/day and above, there were alterations to the seminiferous tubular epithelium that resulted in a decrease in spermatogenesis in some dogs. These findings were not observed in rats or mice. Furthermore, in men taking tadalafil 10 or 20 mg/daily for 6 months, there were no clinically relevant effects on sperm concentration, count, motility, or morphology. Additionally, there were no significant effects of serum levels of testosterone, luteinizing hormone, or follicle stimulating hormone. There was no evidence of teratogenicity, embryotoxicity or fetotoxicity in rats or mice that received up to 1000 mg/kg/day. In a rat pre- and postnatal development study, the observed no effect dose was 30 mg/kg/day. Based on available data, the classification criteria are not met.	
Specific target organ toxicity - single exposure	Due to lack of data the classification is not possible.	
Specific target organ toxicity - repeated exposure	Repeated oral doses of tadalafil for more than six months resulted in decreased testicular weight in dogs. The decreased testes weights (reported at doses of 25 mg/kg/day and above in the 12-month study) correlated with degeneration and atrophy of the seminiferous epithelium. Decreased sperm in the epididymes was also reported with aspermia in the most severely affected dogs. No effects on semen parameters reported in humans after six-months of daily dosing (10 or 20 mg/day). When administered orally for 5 or 28 days at 5 mg/kg/day, blood pressure was reduced in rats. No significant findings were reported in rats or mice administered up to 800 mg/kg by oral gavage for up to 3 months. Based on available data, the classification criteria are not met.	
Aspiration hazard	Not applicable.	
Further information	Based on animal studies with Tadalafil, chronic overexposure by ingestion may cause testicular tissue changes and decreased sperm production. However, two six-month human clinical studies reported no changes in sperm parameters. The most common adverse effects related to drug treatment were headache, lower back pain, and vasodilation (flushing), which can result in transient decreases in blood pressure.	
12. Ecological information	1	
•		
Ecotoxicity	Harmful to aquatic life with long lasting effects.	

		Species	Test Results
Tadalafil (CAS 171596-29-5)	1		
	EC50		> 1000 mg/l, 3 hr (Respiration inhibition of activated sludge)
	NOEC		1000 mg/l, 3 hr (Respiration inhibition o activated sludge) (highest concentration tested)
		Midge (Chironomous riparius)	250 mg/kg, 28 d (sediment exposure)
Aquatic			
Algae	EC50	Green Algae (Pseudokirchneriella subcapitata)	> 1200 µg/l, 72 hr (yield)
	NOEC	Green Algae (Pseudokirchneriella subcapitata)	> 1200 µg/l, 72 hr (average specific growth rate) (highest concentration tested)
			300 μg/l, 72 hr (yield)
Crustacea	EC50	Daphnia magna	> 2000 mg/l, 48 hr
	LOEC	Water flea (Daphnia magna)	1200 µg/l, 21 d (Full Life-Cycle Toxicity)
	NOEC	Water flea (Daphnia magna)	2000 $\mu g/l,48$ hr (highest concentration tested)
			1200 µg/l, 21 d (Full Life-Cycle Toxicity
			480 µg/l, 21 d (Full Life-Cycle Toxicity)
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	> 2100 µg/l, 96 hr
	NOEC	Fathead minnow (Pimephales promelas)	1200 µg/l (embryo and 28 days post hatch) (highest concentration tested)
		Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2100 μ g/l, 96 hr (highest concentration tested)
LY AQUATIC EXPOSURE GU Tadalafil Drinking water LAEG (at the Acute LAEG (at the edge of t Chronic LAEG (at the edge of	point where surf the acute mixing		0.9 μg/l 1000 μg/l 3.2 μg/l
rsistence and degradability	Tadalafil 24-Hour mun	ological information icipal sewage sludge Kd (g total suspendec egradation in municipal sewage sludge (g to	
	Adsorption to concentration Biodegradation	sewage sludge after 4 hours, Kd: 183 to 64 is from 313 to 2500 mg/L) on in Sludge:	44 (determined at a range of sludge
	Adsorption to concentration Biodegradatio DT50: 9 days Degradation DT50 from o DT50 from w 24-Hour mun	sewage sludge after 4 hours, Kd: 183 to 64 is from 313 to 2500 mg/L) on in Sludge:	bation): I solids/L): 180
paccumulative potential	Adsorption to concentration Biodegradation DT50: 9 days Degradation i DT50 from o DT50 from w 24-Hour mun 24-Hour biod	e sewage sludge after 4 hours, Kd: 183 to 64 hs from 313 to 2500 mg/L) on in Sludge: s in Aquatic Sediments (108 day aerobic incu verlying water: 3.8 to 4.6 days vater/sediment systems: 70 to 117 days icipal sewage sludge Kd (g total suspended	bation): I solids/L): 180
paccumulative potential Partition coefficient n-octa Tadalafil	Adsorption to concentration Biodegradatio DT50: 9 days Degradation DT50 from o DT50 from w 24-Hour mun 24-Hour biod No data avail	e sewage sludge after 4 hours, Kd: 183 to 64 hs from 313 to 2500 mg/L) on in Sludge: s in Aquatic Sediments (108 day aerobic incu verlying water: 3.8 to 4.6 days vater/sediment systems: 70 to 117 days icipal sewage sludge Kd (g total suspended egradation in municipal sewage sludge (g to able on bioaccumulation.	bation): I solids/L): 180
Partition coefficient n-octa	Adsorption to concentration Biodegradatio DT50: 9 days Degradation DT50 from o DT50 from w 24-Hour mun 24-Hour biod No data avail	sewage sludge after 4 hours, Kd: 183 to 64 as from 313 to 2500 mg/L) on in Sludge: s in Aquatic Sediments (108 day aerobic incu verlying water: 3.8 to 4.6 days vater/sediment systems: 70 to 117 days icipal sewage sludge Kd (g total suspended egradation in municipal sewage sludge (g to able on bioaccumulation. Kow) 2.32	bation): I solids/L): 180
Partition coefficient n-octa Tadalafil bility in soil Adsorption Soil/sediment sorption	Adsorption to concentration Biodegradatio DT50: 9 days Degradation i DT50 from o DT50 from w 24-Hour mun 24-Hour biod No data avail nol / water (log No data avail	sewage sludge after 4 hours, Kd: 183 to 64 as from 313 to 2500 mg/L) on in Sludge: s in Aquatic Sediments (108 day aerobic incu verlying water: 3.8 to 4.6 days vater/sediment systems: 70 to 117 days icipal sewage sludge Kd (g total suspended egradation in municipal sewage sludge (g to able on bioaccumulation. Kow) 2.32 able.	bation): I solids/L): 180
Partition coefficient n-octa Tadalafil bility in soil Adsorption	Adsorption to concentration Biodegradatio DT50: 9 days Degradation i DT50 from o DT50 from w 24-Hour mun 24-Hour biod No data avail nol / water (log No data avail	sewage sludge after 4 hours, Kd: 183 to 64 as from 313 to 2500 mg/L) on in Sludge: s in Aquatic Sediments (108 day aerobic incu verlying water: 3.8 to 4.6 days vater/sediment systems: 70 to 117 days icipal sewage sludge Kd (g total suspended egradation in municipal sewage sludge (g to able on bioaccumulation. Kow) 2.32 able.	bation): I solids/L): 180
Partition coefficient n-octa Tadalafil bility in soil Adsorption Soil/sediment sorption Tadalafil ner adverse effects	Adsorption to concentration Biodegradatio DT50: 9 days Degradation i DT50 from o DT50 from w 24-Hour mun 24-Hour biod No data avail nol / water (log No data avail nol / water clog No data avail	sewage sludge after 4 hours, Kd: 183 to 64 as from 313 to 2500 mg/L) on in Sludge: s in Aquatic Sediments (108 day aerobic incu verlying water: 3.8 to 4.6 days vater/sediment systems: 70 to 117 days icipal sewage sludge Kd (g total suspended egradation in municipal sewage sludge (g to able on bioaccumulation. Kow) 2.32 able.	bation): I solids/L): 180
Partition coefficient n-octa Tadalafil bility in soil Adsorption Soil/sediment sorption Tadalafil	Adsorption to concentration Biodegradatio DT50: 9 days Degradation i DT50 from o DT50 from w 24-Hour mun 24-Hour biod No data avail nol / water (log No data avail nol / water (log No data avail	sewage sludge after 4 hours, Kd: 183 to 64 as from 313 to 2500 mg/L) on in Sludge: s in Aquatic Sediments (108 day aerobic incu verlying water: 3.8 to 4.6 days vater/sediment systems: 70 to 117 days icipal sewage sludge Kd (g total suspended egradation in municipal sewage sludge (g to able on bioaccumulation. Kow) 2.32 able.	bation): I solids/L): 180

14. Transport information

DOT

Not regulated as dangerous goods.

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. One or more components are not listed on TSCA.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	11-17-2014
Revision date	02-21-2023
Version #	09
List of abbreviations	LEG: Lilly Exposure Guideline. TWA: Time Weighted Average

Disclaimer	As of the date of issuance, we are providing available information relevant to the handling of this material in the workplace. All information contained herein is offered with the good faith belief that it is accurate. THIS SAFETY DATA SHEET SHALL NOT BE DEEMED TO CREATE ANY WARRANTY OF ANY KIND (INCLUDING WARRANTY OF MERCHANT ABILITY OR FITNESS FOR A PARTICULAR PURPOSE). In the event of an adverse incident associated with this material, this safety data sheet is not intended to be a substitute for consultation with appropriately trained personnel. Nor is this safety data sheet intended to be a substitute for product literature which may accompany the finished product.
	For additional information contact: Eli Lilly and Company Hazard Communication +1-317-651-9533
Revision information	Product and Company Identification: Alternate Trade Names Hazard(s) identification: Supplemental information Exposure controls/personal protection: Appropriate engineering controls Other information, including date of preparation or last revision: Disclaimer